

**WC  
FLUSHING CISTERNS**





## enter a non-contact world



Imagine a world where reactions are triggered by movements instead of contact. Non-contact function is the wholesome solutions for hygienic, reliable and economical flushing. The sensors can be set to an optimum quantity of flushing and can be adapted to various sanitary spaces. Discretion and hygiene without direct contact is a reference to our customers.

## concealed flushing cisterns

### Jog page 2

wall mounted toilet bowl, page 2  
floor mounted toilet bowl, page 4

### Tornado page 6

wall mounted toilet bowl, page 6



## pre-wall installation elements with flushing cistern

### Jog page 8

wall-mounted toilet bowl

### Tornado duo page 10

wall-mounted toilet bowl

### Jog self supporting page 12

wall-mounted toilet bowl

Jog single self supporting pre-wall installation element, page 14

wall mounted toilet bowl

Jog side supporting pre-wall installation element, page 15

wall mounted toilet bowl



## flushing plates

### Aplite page 16

for Jog flushing cisterns

### Selenite page 18

for Jog flushing cisterns

### Tornado page 20

for Tornado flushing cisterns



## pre-wall installation elements

for washbasin, page 22

for bidet, page 22

for washing machine and dishwasher, page 23

for urinal, page 23

for handrest, holders and separating

walls for urinal, page 24

for completing pre-wall construction, page 25

pre-wall finishing elements

l/r attachment, page 25



## exposed flushing cisterns

### Laguna page 26

Laguna monoblock, page 26

Laguna duo, page 28

Laguna duo monoblock, page 28

### Vision page 32

Vision monoblock, page 32

Vision duo, page 34

Vision duo monoblock, page 34

### Ciklon plus page 36

Klasik page 38



## non-contact flushing & additions

Laguna Senso, page 40

Aplite Senso - IR (infra red) set, page 41

Celestine Sesno - IR (infra red) set, page 41

Halite Senso - IR (infra red) set, page 42

Barite - IR (infra red) set, page 43

spare parts, page 44

toilet seats, page 50



## concealed flushing cisterns

massive installation/for wall mounted toilet bowl

Meant for wall or in-wall massive installation. After installation, it is necessary to mason the flushing cistern. The thickness of the rough-cast at the front side of the element is 20 to 80 mm, the depth of the element is 120 mm and it is activated from the front side. Metal frame is made of galvanized sheet metal with fixing elements enclosed.

Concealed flushing cisterns are equipped with operating system for dual flushing: large flushing volume: 6 or 9 l (factory setting 9l)

small flushing volume: 3 – 4,5 l

At installation the PUSH- STOP flushing plates operate as a Push-Stop flushing system. Concealed flushing cistern set includes all necessary elements for installation of flushing cistern and toilet bowl. Flushing plates are not included and need to be ordered separately.

## flushing plates

Meant for flushing operation with concealed flushing cisterns. Bigger ones are designed for TORNADO flushing cisterns, smaller ones are designed for JOG flushing cisterns. All flushing plates enable water saving. The user has an option to choose between DUAL flushing system (two buttons – small or large flushing volume) and PUSH-STOP flushing system (one button – flushing is activated and stopped in desired moment).

Flushing plate material – plastic:

- Tornado white pushing plates – high shine UV – stabilized ABS
- Aplite/Selenite white pushing plates – high quality UV existent material ASA

All flushing plates are available in white colour as well as in shine and matt chrome colours.

## exposed flushing cisterns

Flushing cisterns are produced of high shine UV – stabilized ABS material. Our customers can choose among four designs. Maximum flushing volume of all flushing cisterns is 9l with the possibility of regulation to 6l.

According to the model of flushing cistern, the customer has a variety of choices when it comes to installation of flushing cistern. It can be installed directly on the toilet bowl – “monoblock installation”, low and high installation.

All flushing cisterns enable water saving with PUSH-STOP flushing button. LAGUNA DUO and VISION DUO flushing cisterns enable water saving with DUAL flushing system.

## pre-wall installation elements with flushing cistern

pre-wall installation/for the wall mounted toilet bowl

Meant for universal massive installation, pre-wall installation, pre-wall corner installation and installation into dry pre-wall constructions for fixing with plaster boards (18 or 2x12,5 mm).

Pre-wall element frame is self-supporting (bearing 400 kg), made of 40/30 tubes, dry lacquered in blue. For information about operating system, flushing volume setting and pushing plates look under. **Concealed flushing cisterns massive installation.**

Concealed flushing cistern set includes all necessary elements for installation of flushing cistern and toilet bowl. Flushing plates are not included and need to be ordered separately.

## pre-wall installation elements

Meant for universal massive installation, pre-wall installation, pre-wall corner installation and installation into dry pre-wall constructions for fixing with plaster boards (18 or 2x12,5 mm).

Pre-wall element frame is self-supporting (bearing 400 kg), made of 40/30 tubes, dry lacquered in blue. Elements can be adjusted by height and depth. The construction height of the elements is at least 1150 mm and the depth at least 150 mm.

The assortment of elements enables the complete equipment of any sanitary space.

All pre-wall installation elements are equipped with all necessary elements for installation and attachment of sanitary ceramics.

## non-contact flushing & additions

Non-contact flushing is available with exposed flushing cistern LAGUNA SENSO and IR (infra red) set APLITE SENSO and CELESTINE with JOG concealed flushing cisterns. Due to the non-contact flushing operation and therefore hygienic use, these products are preferred for public spaces as well as homes. LAGUNA SENSO is a complete product and APLITE SENSO and CELESTINE is a complete set with all necessary parts for instant installation.

Spare parts are primary meant for maintenance or completion of all our products. Due to their universal structure, they are also suitable for certain products of other manufacturers.

Toilet seats are distinguished by similar universal approach, therefore are suitable for most classic toilet bowls.



## effective in completion



LIV flushing cisterns are equipped with HDV (Hydro Durable Valve) inlet valves, the result of decades of research for decades of flushing. Thoughtful planning, quality materials and excellent manufacture of a valve for long years of perfect flushing irrespective of the hardness or cleanness of the water, the HDV valve guarantees perfect function for every flushing cistern without time taking servicing and unnecessary breakdowns.



## Jog - concealed flushing cistern for wall mounted toilet bowl

ident 195850

art. 5-380-300

8700 g

3/parcel (770 x 600 x 411 mm)

36/palette (1233 x 800 x 2150 mm)



### Aplite <sup>LIV</sup>

### Selenite <sup>LIV</sup>

Aplite, page 16

Selenite, page 18




IR set Aplite, page 41

IR set Celestine, page 43



DW-6541BQ0543





4



## Jog - concealed flushing cistern for floor mounted toilet bowl

ident 195907

art. 5-380-460

5000 g

3/parcel (770 x 600 x 411 mm)

36/palette (1233 x 800 x 2150 mm)



Aplite

Selenite

Aplite, page 16

Selenite, page 18




IR set Aplite, page 41

IR set Celestine, page 43



DW-6541BQ0543







3 838912 126023

## Tornado duo - concealed flushing cistern

for wall mounted toilet bowl

ident 195386

art. 5-380-200

9300 g

3/parcel (915 x 510 x 420 mm)

36/palette (1233 x 1000 x 2190 mm)



## Tornado <sup>LIV</sup>

Tornado solo, page 20

Tornado stop, page 21

Tornado duo, page 21



3 838912 498748

## Tornado push-stop-concealed flushing cistern

for wall mounted toilet bowl

ident 196846

art. 5-380

8900 g

3/parcel (915 x 510 x 420 mm)

36/palette (1233 x 1000 x 2190 mm)



## Tornado <sup>LIV</sup>



Tornado solo, page 20

Tornado stop, page 21



DW-6541BQ0543







**Jog - pre-wall installation  
element with flushing cistern  
for wall mounted toilet bowl**

**ident 195874**

art. 5-384-590

17200 g

2/parcel (1170 x 560 x 332 mm)

24/palette (1000 x 1200 x 2384 mm)



DW-6541BQ0543

**Aplite**   
**Selenite** 



Aplite, page 16

Selenite, page 18

IR set Aplite, page 41

IR set Celestine, page 43





# 10



## Tornado duo - pre-wall installation element with flushing cistern for wall mounted toilet bowl

ident 195489

art. 5-384-500

17200 g

2/parcel (1170 x 560 x 332 mm)

24/palette (1000 x 1200 x 2384 mm)



## Tornado



DW-6541BQ0543

Tornado solo, page 20

Tornado stop, page 21

Tornado duo, page 21







**Jog - self supporting  
pre-wall installation element  
with flushing cistern  
for wall mounted toilet bowl**

ident 195001

art. 5-384-544

28.800 g

2/parcel

16/palette (800 x 1200 x 2280 mm)



**Aplite** LIV

**Selenite** LIV

Aplite, page 16

Selenite, page 18



IR set Aplite, page 41

IR set Celestine, page 43



DW-6541BQ0543








**Jog - single self supporting  
pre-wall installation element  
with flushing cistern  
for wall mounted toilet bowl**

**ident 195016**  
art. 5-384-480  
21300 g  
2/parcel  
16/palette (800 x 1200 x 2280 mm)



**Aplite**   
**Selenite**

Aplite, page 16  
Selenite, page 18  
IR set Aplite, page 41  
IR set Celestine, page 43



**DW-6541BQ0543**





**Jog - side supporting  
pre-wall installation element  
with flushing cistern  
for wall mounted toilet bowl**

ident 195012

art. 5-384-450

17500 g

2/parcel (1170 x 560 x 332 mm)

24/palette (1000 x 1200 x 2384 mm)




**Aplite**   
**Selenite** 

Aplite, page 16

Selenite, page 18

IR set Aplite, page 41

IR set Celestine, page 43



DW-6541BQ0543





3 838912 156211

## Aplite - white

**ident 195852**  
art. 5-380-360  
460 g  
12/H



**Jog**

Jog, page 2, 4, 8, 12, 14, 15



3 838912 156204

## Aplite eco - white

**ident 195851**  
art. 5-380-320  
460 g  
12/H



**Jog**

Jog, page 2, 4, 8, 12, 14, 15





**Aplite - chrome matt**

ident 195867  
art. 5-380-360  
460 g  
12/H




Jog <sup>LIV</sup>

Jog, page 2, 4, 8, 12, 14, 15



Aplite flushing plate dimensions



**Aplite eco - chrome matt**

ident 195866  
art. 5-380-320  
460 g  
12/H



Jog <sup>LIV</sup>

Jog, page 2, 4, 8, 12, 14, 15



**Aplite - chrome shine**

ident 195871  
art. 5-380-360  
460 g  
12/H



Jog <sup>LIV</sup>

Jog, page 2, 4, 8, 12, 14, 15



**Aplite eco - chrome shine**

ident 195870  
art. 5-380-320  
460 g  
12/H



Jog <sup>LIV</sup>

Jog, page 2, 4, 8, 12, 14, 15





## Selenite - white

ident 195854  
art. 5-380-440  
460 g  
12/H



Jog

Jog, page 2, 4, 8, 12, 14, 15



## Selenite eco - white

ident 195853  
art. 5-380-405  
460 g  
12/H



Jog

Jog, page 2, 4, 8, 12, 14, 15





**Selenite - chrome matt**


ident 195869  
art. 5-380-440  
460 g  
12/H



Jog <sup>LIV</sup>

Jog, page 2, 4, 8, 12, 14, 15

Selenite flushing plate dimensions



**Selenite eco - chrome matt**

ident 195868  
art. 5-380-405  
460 g  
12/H



Jog <sup>LIV</sup>

Jog, page 2, 4, 8, 12, 14, 15



**Selenite - chrome shine**

ident 195873  
art. 5-380-440  
460 g  
12/H



Jog <sup>LIV</sup>

Jog, page 2, 4, 8, 12, 14, 15



**Selenite eco - chrome shine**

ident 195872  
art. 5-380-405  
460 g  
12/H



Jog <sup>LIV</sup>

Jog, page 2, 4, 8, 12, 14, 15



# 20



3 838912 495303

## Tornado solo - white


ident 196739  
art. 5-380-040  
509 g  
10/T



## Tornado

page 6, 10

Tornado solo flushing plate dimensions



3 838912 496072

## Tornado solo - chrome matt


ident 196768  
art. 5-380-040  
509 g  
10/T



## Tornado

page 6, 10

Tornado stop flushing plate dimensions



3 838912 496065

## Tornado solo - chrome shine


ident 196767  
art. 5-380-040  
509 g  
10/T



## Tornado

page 6, 10

Tornado duo flushing plate dimensions





3 838912 126016

**Tornado stop - white**

ident 195385  
art. 5-380-220  
572 g  
10/T



**Tornado** LIV

page 6, 10



3 838912 126108

**Tornado duo - white**

ident 195387  
art. 5-380-210  
597 g  
10/T



**Tornado** LIV

page 6, 10



3 838912 137203

**Tornado stop - chrome matt**

ident 195519  
art. 5-380-220  
572 g  
10/T



**Tornado** LIV

page 6, 10



3 838912 137524

**Tornado duo - chrome matt**

ident 195521  
art. 5-380-210  
597 g  
10/T



**Tornado** LIV

page 6, 10



3 838912 137128

**Tornado stop - chrome shine**

ident 195518  
art. 5-380-220  
572 g  
10/T



**Tornado** LIV

page 6, 10



3 838912 137517

**Tornado duo - chrome shine**

ident 195520  
art. 5-380-210  
597 g  
10/T



**Tornado** LIV


page 6, 10








3 838912 001320  
**Pre-wall installation element  
 for washing machine and dishwasher**  
**ident 195014**  
 art. 5-384-461  
 12000 g  
 2/parcel, 24/palette  
 (1000 x 1200 x 2080 mm)



3 838912 007728  
**Pre-wall installation element for urinal**  
**ident 195183**  
 art. 5-384-495  
 15800 g  
 2/parcel, 24/palette (1000 x 1200 x 2080 mm)



**Halite**   
 Halite, page 42




# 24



3 838912 001108

## Pre-wall installation element for handrest, holders and separating walls for urinal - wide


**ident 195010**  
art. 5-384-410  
13500 g  
2/parcel  
24/palette  
(1000 x 1200 x 2080 mm)



3 838912 000903


## Pre-wall installation element for handrest, holders and separating walls for urinal - narrow

**ident 195008**  
art. 5-384-400  
11200 g  
2/parcel  
24/palette  
(1000 x 1200 x 1600 mm)







3 838912 001306  
**Pre-wall installation element**  
**for completing pre-wall construction - wide**  
**ident 195013**  
 art. 5-384-430  
 9200 g  
 2/parcel  
 24/palette  
 (1000 x 1200 x 2080 mm)



3 838912 001207  
**Pre-wall installation element**  
**for completing pre-wall construction - narrow**  
**ident 195011**  
 art. 5-384-420  
 7700 g  
 2/parcel, 24/palette  
 (1000 x 1200 x 1600 mm)



3 838912 000927  
**Pre-wall finishing elements**  
**left/right attachment**  
**ident 195009**  
 art. 5-384-440  
 3500 g  
 piece.





3 838912 484697

**Laguna - white****ident 196519**

art. 5-360

3200 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



ABS



3 838912 489340

**Laguna monoblock - white****ident 196600**

art. 5-361

3050 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)








ABS



DW-6541BQ0543





# 28



## Laguna duo - white

ident 195357

art. 5-360-500

3200 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543



## Laguna duo monoblock - white

ident 195003

art. 5-361-200

3050 g





4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543





# 30



## Laguna bahama beige

ident 196563

art. 5-360

3200 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543



## Laguna calypso

ident 196593

art. 5-360

3200 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543





## Laguna manhattan

ident 196567

art. 5-360-500

3200 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543



## Laguna bermuda

ident 196691

art. 5-360

3200 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543





3 838912 103604

## Vision - white

**ident 195200**

art. 5-371

2900 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



ABS



3 838912 109903

## Vision monoblock - white

**ident 195232**

art. 5-372

2750 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)








ABS



DW-6541BQ0543







### Vision duo - white

ident 195005

art. 5-371-100

2900 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



### Vision duo monoblock - white

ident 195039

art. 5-372-115

2750 g





4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543





# 36



## Ciklon plus - white

ident 195292

art. 5-378

3000 g





4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543





# 38



## Klasik - white

ident 195653

art. 5-379-200

2770 g





4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543





# 40



## Laguna Senso - white

ident 195270

art. 5-360-400



4069 g

4/parcel (430 x 430 x 585 mm)

80/palette (1150 x 860 x 2290 mm)



DW-6541BQ0543






3 838912 161512

**Aplite Senso -  
IR (infra red) set  
with flushing plate Aplite white**

**ident 195991**  
art. 5-380-340  
1330 g  
piece/box (280 x 300 x 80 mm)



**Jog**


Jog, page 2, 4, 8, 12, 14, 15



3 838912 003911

**Celestine -  
IR (infra red) set  
with flushing plate**

**ident 195080**  
art. 5-384-740  
1150 g  
piece/box (280 x 180 x 60 mm)



**Jog**

Jog, page 2, 4, 8, 12, 14, 15



# 42




## Halite - IR (infra red) set with flushing plate

ident 195079

art. 5-384-720

paino 1300 g

piece/box (380 x 210 x 87 mm)



## SME

Pre-wall installation element for urinal, page 23




**Barite - IR (infra red) set****ident 205052**

art. 5-328-000

4120 g



piece/box (430 × 80 × 180 mm)





**HDV inlet valve**

ident 195933  
 art. 5-226-530  
 498 g  
 40/SPV






3 838912 491510

**Outlet valve Laguna\***


**ident 196645**  
art. 5-360-110  
256 g  
50/SPV



3 838912 146212

**Outlet valve Laguna duo**

**ident 195624**  
art. 5-360-512  
352 g  
40/SPV




\* for flushing containers produced between the years 1995 - 1999



3 838912 111623

**Outlet valve Laguna, Vision, Ciklon plus, Klasik**


**ident 195256**  
art. 5-371-012  
156 g  
50/SPV



3 838912 623881

**Outlet valve Ciklon**


**ident 197003**  
art. 5-226-313  
256 g  
50/SPV



3 838912 115317

**Outlet valve Tornado**


**ident 195280**  
art. 5-380-120  
255 g  
50/SPV



3 838912 001924



**Outlet valve Jog & Tornado duo - kpl.**

**ident 195028**  
art. 5-384-650  
530 g  
set/bag







3 838912 502025  
**Outlet pipe for high installation**  
**ident 196911**  
 art. 5-284-310  
 840 g  
 30/box (350 x 350 x 1750 mm)





3 838912 502032  
**Knee 40/44 set**  
**ident 196912**  
 art. 5-276-928  
 100 g  
 50/NZ-1



3 838912 111616  
**Vision monoblock set**  
**ident 195255**  
 art. 5-372-004  
 68 g  
 50/NZ-9



3 838912 152855  
**Outlet pipe for low instal**  
**ident 195774**  
 art. 5-276-305  
 270 g  
 40/SPV



3 838912 102218  
**Clamp set**  
**ident 19519**  
 art. 5-276-7  
 24 g  
 100/NZ-8





3 838912 115300

**Feet for concealed flushing cistern**


**ident 195279**  
art. 5-380-098  
630 g  
60/NZ-1



3 838912 115201

**Knee 110/90 set**



**ident 195276**  
art. 5-380-085  
380 g  
25/SPV



3 838912 115218

**Outlet pipe ø 90 with bearing**

**ident 195277**  
art. 5-380-090  
240 g  
40/SPV



3 838912 115324

**Lever Tornado, Jog**


**ident 195281**  
art. 5-380-124  
15 g  
50/NZ-9



3 838912 115225

**Outlet pipe ø 44 k  
Tornado, Jog**

**ident 195278**  
art. 5-380-095  
215 g  
50/SPV






3 838912 002624

### Revisional opening protection Jog

**ident 195044**  
art. 5-380-313  
260 g  
set/bag



3 838912 158703

### Sound insulation (toilet bowl, bidet)

**ident 195913**  
art. 5-384-020  
83 g  
25/T



3 838912 158710

### Sound insulation (washbasin)


**ident 195914**  
art. 5-384-120  
353 g  
25/H



3 838912 002617

### Revisional opening protection Tornado

**ident 195043**  
art. 5-380-190  
333 g  
set/bag



3 838912 158727

### Sound insulation (urinal)



**ident 195915**  
art. 5-384-325  
157 g  
25/T







3 838912 001900  
**Coil rods with protection -  
 pre-wall installation**

**ident 195026**  
 art. 5-384-514  
 236 g  
 set/bag





3 838912 001917  
**Coil rods with protection -  
 concealed installation**

**ident 195027**  
 art. 5-380-186  
 436 g  
 set/bag



3 838912 001825  
**Extention pipe 45/40 x 380 - set**

**ident 195025**  
 art. 5-380-181  
 265 g  
 set/bag



# 50




3 838912 150721

## Aurora (plastic hinges) - white

ident 195739  
art. 5-377-010  
1595 g  
10/A



Dimensions of the toilet seat with plastic hinges




3 838912 150714

## Aurora (metal hinges) - white

ident 195738  
art. 5-377  
1645 g  
10/A



Dimensions of the toilet seat with metal hinges



3 838912 000507

## Set (metal hinges)

ident 195002  
art. 5-377-040  
125 g  
set/bag





3 838912 154613

### Aurora bahama beige (plastic hinges)

**ident 195813**  
art. 5-377-010  
1595 g  
10/A



3 838912 154408

### Aurora bahama beige (metal hinges)

**ident 195810**  
art. 5-377  
1645 g  
10/A



3 838912 154705

### Aurora calypso (plastic hinges)

**ident 195815**  
art. 5-377-010  
1595 g  
10/A



3 838912 154521

### Aurora calypso (metal hinges)

**ident 195812**  
art. 5-377  
1645 g  
10/A



3 838912 154620

### Aurora bermuda (plastic hinges)

**ident 195814**  
art. 5-377-010  
1595 g  
10/A



3 838912 154415

### Aurora bermuda (metal hinges)

**ident 195811**  
art. 5-377  
1645 g  
10/A



Since 1954 our planned activities, a highly qualified team and an audience for your wishes and needs have enabled us to always offer you quality products, designed according to the latest technology and shaped in step with the latest trends. The company is proud to present its acquired quality certificates in ISO 9001 and ISO/TS 16949, which are supplemented by the environmental certificate ISO 14001:2004. Our success is based on a fast and effective adjustment to the needs of the world market as well as on the breakthrough strategy which we persistently realise. This is confirmed by decades of innovative solutions and million of quality wc flushing cisterns, which we produce every year. Our goal is clear: to become one of the leading suppliers of sanitary equipment and installations in Europe.



**KOLEKTOR LIV d.o.o.**

Industrijska c.2  
6230 Postojna  
Slovenia

Tel.: +386 5 728 37 00  
Fax: +386 5 728 38 11  
E-mail: liv@kolektor.si





code EAN-13

3

**Klasik**

product name

**ident 195653**

ident

art. 5-379-200

article

2770 g

net weight of the product

4/ovijeno (430 x 430 x 585 mm)

packaging

80/paleta (1150 x 860 x 2290 mm)

gross packaging

SME = pre-wall installation element



silent flushing



water supply connection from the left, right or rear side



saving by ability to stop flushing any time



high quality material with UV stabilisation



environment friendly material



non-contact flushing



ability to regulate the amount of flushed water




UV stabile material of highest quality



condensation insulation



Inox



	PACKAGING						
	A	H	NZ-1	NZ-8	NZ-9	SPV	T
A (mm)	570	660	600	310	320	780	500
B (mm)	395	270	295	265	265	380	205
C (mm)	470	185	340	340	120	480	360





A series of 25 horizontal lines spaced evenly down the page, providing a template for writing.



**KOLEKTOR LIV d.o.o.**

Industrijska cesta 2  
6230 Postojna  
Slovenija

t: +386 5 728 37 00

f: +386 5 728 38 11

w: [www.liv.si](http://www.liv.si)

e: [liv@kolektor.si](mailto:liv@kolektor.si)

